Author index

Amdrup, E., see Poulsen, J., 227 Axelson, J., see Persson, P., 45

Bado, A., Lewin, M.J.M. and Dubrasquet, M.
The effects of intravenously administered bombesin on pentagastrin-stimulated acid secretion in cats, 141

Bakich, V., see McIntosh, C.H.S., 205

Balasubramaniam, A., Grupp, I., Matlib, M.A., Benza, R., Jackson, R.L., Fischer, J.E. and Grupp, G.

Comparison of the effects of neuropeptide Y (NPY) and 4-norleucine-NPY on isolated perfused rat hearts; effects of NPY on atrial and ventricular strips of rat heart and on rabbit heart mitochondria, 289

Baldissera, F.G.A., Holst, J.J., Knuthsen, S., Hilsted, L. and Nielsen, O.V. Oxyntomodulin (glicentin-(33–69)): pharmacokinetics, kinetics, binding to liver cell membranes, effects on isolated perfused pig pancreas, and secretion from isolated perfused

lower small intestine of pigs, 151 Barnett, W., see McDonald, T.J., 69

Benza, R., see Balasubramaniam, A., 289

Bernabei, M., see Holst Pedersen, J., 13

Bloom, S.R., see Iguchi, H., 263

Böhlen, P., see Corder, R., 253

Benoit, R., see Hotta, M., 245

Bokenfohr, K., see McIntosh, C.H.S., 205

Brodin, E., see Linderoth, B., 129

Brooks, B.D., see McDonald, T.J., 69

Brown, J.C., see McIntosch, C.H.S., 205

Brown, M.R. and Gray, T.S.

Peptide injections into the amygdala of conscious rats: effects on blood pressure, heart rate and plasma catecholamines, 95

Bueno, L., see Primi, M.P., 107

Carney, J.A., see Koch, T.R., 309
Christofi, F.L., see McDonald, T.J., 69
Christophe, J., see Robberecht, P., 117
Cook, M.A., see McDonald, T.J., 69
Corder, R., Gaillard, R.C. and Böhlen, P.
Isolation and sequence of rat peptide YY and neuropeptide Y, 253
Coy, D.H., see Robberecht, P., 117

Daikoku, S., see Hotta, M., 245
Damien, C., see Robberecht, P., 117
De Graef, J., see Woussen-Colle, M.-C., 29
De Teresa, A., see Verrillo, A., 185
Delle Fave, G., see Falconieri Erspamer, G., 1
Demura, H., see Hotta, M., 245
Di Chiara, G., see Verrillo, A., 185
DiScala-Guenot, D., see McIntosh, C.H.S., 205
Donoff, B., see Rangachari, P.K., 237
Dubrasquet, M., see Bado, A., 141

Erspamer, V., see Falconieri Erspamer, G., 1

Falconieri Erspamer, G., Severini, C., Erspamer,
V., Melchiorri, P., Delle Fave, G., and Nakajima, T.
Parallel bioassay of 27 bombesin-like peptides on 9 smooth muscle preparations.

tides on 9 smooth muscle preparations. Structure-activity relationships and bombesin receptor subtypes, 1

Fargeas, M.J., see Primi, M.P., 107 Fischer, J.E., see Balasubramaniam, A., 289 Fujio, N., see Ohashi, M., 271 Funakoshi, A., see Miyazaki, K., 37

Gaillard, R.C., see Corder, R., 253
Garrick, T., Veiseh, A., Sierra, A., Weiner, H. and Taché, Y.
Corticotropin-releasing factor acts centrally to suppress stimulated gastric contractility in

Go, V.L.W., see Koch, T.R., 309 Gray, T.S., see Brown, M.R., 95 Grider, J.R., see Micheletti, R., 219 Grunditz, T., see Persson, P., 45 Grupp, G., see Balasubramaniam, A., 289 Grupp, I., see Balasubramaniam, A., 289

the rat, 173

Håkanson, R., see Persson, P., 45
Hashimoto, K., see Takao, T., 301
Hayward, M., see Vaccarino, F.J., 21
Hilsted, L., see Baldissera, F.G.A., 151
Hirota, M., see Oshima, I., 85
Holst Pedersen, J., Knuthsen, S., Bernabei, M., Ørskov, C. and Holst, J.J.
Secretion of neurotensin from isolated perfused porcine ileum, 13
Holst, J.J., see Baldissera, F.G.A., 151

Holst, J.J., see Holst Pedersen, J., 13

Hotta, M., Shibasaki, T., Masuda, A., Imaki, T., Demura, H., Ohno, H., Daikoku, S., Benoit, R., Ling, N. and Shizume, K. Ontogeny of pituitary responsiveness to cor-

Ontogeny of pituitary responsiveness to corticotropin-releasing hormone in rat, 245

Ibayashi, H., see Iguchi, H., 263

Iguchi, H., Natori, S., Ou, Y., Nawata, H., Kato, K., Ibayashi, H. and Bloom, S.R. Plasma levels of 7B2 (a novel pituitary polypeptide) and its molecular forms in plasma and urine in patients with chronic renal failure: possible degradation by the kidney, 263

Imaki, T., see Hotta, M., 245

Jackson, R.L., see Balasubramaniam, A., 289

Katayama, E., see Mizukawa, K., 167

Kato, K., see Iguchi, H., 263

Kato, K., see Ohashi, M., 271

Knuthsen, S., see Baldissera, F.G.A., 151

Knuthsen, S., see Holst Pedersen, J., 13

Koch, T.R., Roddy, D.R., Carney, J.A., Telander, R.L. and Go, V.L.W.

Distribution, quantitation, and origin of immunoreactive neuropeptide Y in the human gastrointestinal tract, 309

Konradsen, L. and Nexø, E.

Epidermal growth factor in plasma, serum and urine before and after prolonged exercise, 197

Kwok, Y.N., see McIntosh, C.H.S., 205

Lalieu, C., see Woussen-Colle, M.-C., 29

Lewin, M.J.M., see Bado, A., 141

Linderoth, B. and Brodin, E.

Tachykinin release from rat spinal cord in vitro and in vivo in response to various stimuli, 129

Ling, N., see Hotta, M., 245

Makhlouf, G.M., see Micheletti, R., 219

Martino, C., see Verrillo, A., 185

Masuda, A., see Hotta, M., 245

Matlib, M.A., see Balasubramaniam, A., 289

Matsuo, H., see Ohashi, M., 271

Matthijs, G., Peeters, T.L. and Vantrappen, G. Effect of different calcium modulators on motilin-induced contractions of the rabbit duodenum. Comparison with acetylcholine, 321

McDonald, T.J., Christofi, F.L., Brooks, B.D., Barnett, W. and Cook, M.A.

Characterization of content and chromatographic forms of neuropeptides in purified nerve varicosities prepared from guinea pig myenteric plexus, 69

McIntosh, C.H.S., Bakich, V., Bokenfohr, K., DiScala-Guenot, D., Kwok, Y.N. and Brown, J.C.

Cysteamine-induced reduction in gastrointestinal somatostatin: evidence for a region-specific loss in immunoreactivity, 205

McWade, D., see Rangachari, P.K., 237

Melchiorri, P., see Falconieri Erspamer, G., 1

Micheletti, R., Grider, J.R. and Makhlouf, G.M. Identification of bombesin receptors on isolated muscle cells from human intestine, 219

Mitsui, T., see Mizukawa, K., 167

Miyazaki, K. and Funakoshi, A.

Distribution of pancreatic polypeptide-like immunoreactivity in rat tissues, 37

Mizukawa, K., Ogura, T., Yamamoto, I., Mitsui, T., Katayama, E., Ota, Z. and Ogawa, N. Localization of receptors for atrial natriuretic polypeptide (ANP) in the glomerulus: in vitro electron microscopic autoradiographical investigation using 125I-labeled ANP, 167

Modlin, I.M., see Rackoff, P.J., 279

Moroder, L., see Robberecht, P., 117

Nakajima, T., see Falconieri Erspamer, G., 1

Natori, S., see Iguchi, H., 263

Nawata, H., see Iguchi, H., 263

Nexø, E., see Konradsen, L., 197

Nielsen, O.V., see Baldissera, F.G.A., 151

Ogawa, N., see Mizukawa, K., 167

Ogura, T., see Mizukawa, K., 167

Ohashi, M., Fujio, N., Nawata, H., Matsuo, H. and Kato, K.

α-Human atrial natriuretic polypeptide binding sites in human adrenal membrane fractions, 271

Ohboshi, C., see Oshima, I., 85

Ohno, H., see Hotta, M., 245

Ørskov, C., see Holst Pedersen, J., 13

Oshima, I., Hirota, M., Ohboshi, C. and Shima, K.

Comparison of half-disappearance times, distribution volumes and metabolic clearance rates of exogenous glucagon-like peptide 1 and glucagon in rats, 85

Ota, Z., see Mizukawa, K., 167

Ota, Z., see Takao, T., 301

Ou, Y., see Iguchi, H., 263

Peeters, T.L., see Matthijs, G., 321

Persson, P., Grunditz, T., Axelson, J., Sundler, F. and Håkanson, R.

Cholecystokinins but not gastrin-17 release calcitonin from thyroid C-cells in the rat, 45

Poulsen, J. and Amdrup, E.

The fasting and food-stimulated serum gastrin concentration in 151 duodenal ulcer patients compared to 41 healthy subjects, 227

Premen, A.J.

Autoregulation of renal hemodynamics is not impaired by a 'physiologic' dose of glucagon,

Primi, M.P., Fargeas, M.J. and Bueno, L. Central μ -, δ - and κ -opioid influences on intestinal water and electrolyte transport in dogs, 107

Rackoff, P.J., Zdon, M.J., Tyshkov, M. and Modlin, I.M.
Epidermal growth factor (EGF) inhibits both intrinsic factor secretion and acid secretion in histamine-stimulated isolated gastric glands, 279

Rangachari, P.K., McWade, D. and Donoff, B. Luminal receptors for bradykinin on the canine tracheal epithelium: functional subtyping, 237

Robberecht, P., Damien, C., Moroder, L., Coy, D.H., Wünsch, E. and Christophe, J. Receptor occupancy and adenylate cyclase activation in rat liver and heart membranes by 10 glucagon analogs modified in position 2, 3, 4, 25, 27 and/or 29, 117

Roddy, D.R., see Koch, T.R., 309

Severini, C., see Falconieri Erspamer, G., 1 Shibasaki, T., see Hotta, M., 245 Shima, K., see Oshima, I., 85 Shizume, K., see Hotta, M., 245 Sierra, A., see Garrick, T., 173 Simoens, C., see Woussen-Colle, M.-C., 29 Sundler, F., see Persson, P., 45

Taché, Y., see Garrick, T., 173
Takao, T., Hashimoto, K. and Ota, Z.
Central catecholaminergic control of ACTH secretion, 301

Telander, R.L., see Koch, T.R., 309 Tyshkov, M., see Rackoff, P.J., 279

Vaccarino, F.J. and Hayward, M.

Microinjections of growth hormone-releasing factor into the medial preoptic area/suprachiasmatic nucleus region of the hypothalamus stimulate food intake in rats, 21

Vantrappen, G., see Matthijs, G., 321
Veiseh, A., see Garrick, T., 173
Verrillo, A., De Teresa, A., Martino, C., Di Chiara, G. and Verrillo, L.
Somatostatin response to glucose before and after prolonged fasting in lean and obese non-diabetic subjects, 185

Verrillo, L., see Verrillo, A., 185

Weiner, H., see Garrick, T., 173
Woussen-Colle, M.-C., Lalieu, C., Simoens, C. and De Graef, J.
Effect of vagotomy and atropine on plasma somatostatin response to a meal in conscious dogs, 29

Wünsch, E., see Robberecht, P., 117

Yamamoto, I., see Mizukawa, K., 167

Zdon, M.J., see Rackoff, P.J., 279.

Key word index

- Adenylate cyclase, Glucagon analog, Rat liver, Rat heart, 117
- Adrenergic stimulation, Epidermal growth factor, Exercise, Platelet, 197
- Adrenocorticotropic hormone, β-Endorphin, α-Melanocyte-stimulating hormone, Hypothalamus, Pituitary, Corticotropin-releasing hormone, Ontogeny, 245
- Adrenocorticotropic hormone, Noradrenaline, Catecholamine, Corticotropin-releasing factor, 301
- Affinity labeling, Atrial natriuretic polypeptide, Receptor, Human adrenal gland, Steroidogenesis, 271
- Airway, Potential difference, Peptide receptor, Anion channel, 237
- Amino acid, Renal blood flow, Glomerular filtration rate, Pressure-flow autoregulation, Protein, 57
- Amino acid sequence, Brain peptide, Gut peptide, Primary structure, 253
- Aminopyrine, Isolated gastric gland, Intrinsic factor, 279
- Amphibian bombesin-14, Muscle cell, Gastrinreleasing peptide, Neuromedin-B, 219
- Amygdala, Cardiovascular regulation, Brain peptide, Sympathetic nervous system, Neuropeptide, 95
- Anion channel, Potential difference, Peptide receptor, Airway, 237
- Atrial natriuretic polypeptide receptor, In vitro autoradiography, Ultrastructure, Glomerulus, Podocyte, 167
- Atrial natriuretic polypeptide, Receptor, Affinity labeling, Human adrenal gland, Steroidogenesis, 271
- Atropine, Corticotropin-releasing factor (CRF), Intracisternal, Thyrotropin-releasing hormone analog, 2-Deoxy-D-glucose, Carbachol, 173
- Bombesin fragment, Natural bombesin, Natural litorin, Synthetic litorin, Phyllolitorin, Structure-activity relationship, Bombesin receptor subtype, 1
- Bombesin receptor subtype, Natural bombesin, Bombesin fragment, Natural litorin, Synthetic litorin, Phyllolitorin, Structure-activity relationship, 1

- Bombesin, Vagal cholinergic, Cimetidine, 29 Bombesin, Gastric acid secretion, Pentagastrin, 141
- Brain peptide, Cardiovascular regulation, Sympathetic nervous system, Amygdala, Neuropeptide, 95
- Brain peptide, Gut peptide, Primary structure, Amino acid sequence, 253
- Calcitonin, Gastrin-17, Cholecystokinin, 45
- Calcium, Rabbit duodenum in vitro, Verapamil, Diltiazem, 8-(*N*,*N*-Diethylamino)-octyl-3,4,5-trimethoxybenzoate hydrochloride, Trifluoperazine, 321
- Carbachol, Corticotropin-releasing factor (CRF), Intracisternal, Thyrotropin-releasing hormone analog, 2-Deoxy-D-glucose, Atropine, 173
- Cardiovascular regulation, Brain peptide, Sympathetic nervous system, Amygdala, Neuropeptide, 95
- Catecholamine, Noradrenaline, Adrenocorticotropic hormone, Corticotropin-releasing factor, 301
- Cholecystokinin, Calcitonin, Gastrin-17, 45
- Chronotropic effect, Inotropic effect, Mitochondrion, Vasospasm, Neuropeptide Y, 289
- Cimetidine, Vagal cholinergic, Bombesin, 29
- Constant-infusion method, Pharmacokinetics, Single-injection method, Proglucagon, 85
- Correlation, Renal function, 263
- Corticotropin-releasing factor, Noradrenaline, Catecholamine, Adrenocorticotropic hormone, 301
- Corticotropin-releasing factor (CRF), Intracisternal, Thyrotropin-releasing hormone analog, 2-Deoxy-D-glucose, Carbachol, Atropine, 173
- Corticotropin-releasing hormone, β-Endorphin, Adrenocorticotropic hormone, α-Melanocyte-stimulating hormone, Hypothalamus, Pituitary, Ontogeny, 245
- Cysteamine, Gastrointestinal, Pancreas, Somatostatin, 205
- 2-Deoxy-D-glucose, Corticotropin-releasing factor (CRF), Intracisternal, Thyrotropin-releasing hormone analog, Carbachol, Atropine, 173

- 8 (N,N Diethylamino) octyl 3,4,5 trimethoxybenzoate hydrochloride, Rabbit duodenum in vitro, Calcium, Verapamil, Diltiazem, Trifluoperazine, 321
- Differential processing, Gastrointestinal peptide, Proglucagon, Insulin secretion, Somatostatin secretion, Enteroglucagon, 151
- Diltiazem, Rabbit duodenum in vitro, Calcium, Verapamil, 8 (N,N Diethylamino) octyl 3,4,5 trimethoxybenzoate hydrochloride, Trifluoperazine, 321
- Dog, μ-Opioid peptide, δ-Opioid peptide, κ-Opioid peptide, Enkephalin, Dynorphin,
 Water absorption, Electrolyte absorption, Jejunum, 107
- Duodenal ulcer, Gastrin, 227
- Dynorphin, μ -Opioid peptide, δ -Opioid peptide, κ -Opioid peptide, Enkephalin, Water absorption, Electrolyte absorption, Jejunum, Dog, 107
- Electrolyte absorption, μ -Opioid peptide, δ -Opioid peptide, κ -Opioid peptide, Enkephalin, Dynorphin, Water absorption, Jejunum, Dog, 107
- β-Endorphin, Adrenocorticotropic hormone, α-Melanocyte-stimulating hormone, Hypothalamus, Pituitary, Corticotropin-releasing hormone, Ontogeny, 245
- Enkephalin, μ-Opioid peptide, δ-Opioid peptide, κ-Opioid peptide, Dynorphin, Water absorption, Electrolyte absorption, Jejunum, Dog, 107
- Enteroglucagon, Gastrointestinal peptide, Differential processing, Proglucagon, Insulin secretion, Somatostatin secretion, 151
- Epidermal growth factor, Adrenergic stimulation, Exercise, Platelet, 197
- Exercise, Adrenergic stimulation, Epidermal growth factor, Platelet, 197
- Fasted state, Insulin, Glucagon, Somatostatin, Fed state, 185
- Fed state, Insulin, Glucagon, Somatostatin, Fasted state, 185
- Feeding, Growth hormone-releasing factor, Suprachiasmatic nucleus, Medial preoptic area, 21
- Galanin, Myenteric plexus, Vasoactive intestinal polypeptide, Gastrin-releasing polypeptide (GRP), Substance P, α-Neurokinin, β-Neurokinin, Leu-enkephalin, Met-enkephalin, 69
- Gastric acid secretion, Bombesin, Pentagastrin, 141

- Gastrin, Duodenal ulcer, 227
- Gastrin-17, Calcitonin, Cholecystokinin, 45
- Gastrin-releasing polypeptide (GRP), Myenteric plexus, Vasoactive intestinal polypeptide, Galanin, Substance P, α-Neurokinin, β-Neurokinin, Leu-enkephalin, Met-enkephalin, 69
- Gastrin-releasing peptide, Muscle cell, Amphibian bombesin-14, Neuromedin-B, 219
- Gastrointestinal peptide, Differential processing, Proglucagon, Insulin secretion, Somatostatin secretion, Enteroglucagon, 151
- Gastrointestinal, Cysteamine, Pancreas, Somatostatin, 205
- Glomerular filtration rate, Renal blood flow, Pressure-flow autoregulation, Protein, Amino acid, 57
- Glomerulus, Atrial natriuretic polypeptide receptor, In vitro autoradiography, Ultrastructure, Podocyte, 167
- Glucagon analog, Adenylate cyclase, Rat liver, Rat heart, 117
- Glucagon, Insulin, Somatostatin, Fed state, Fasted state, 185
- Growth hormone-releasing factor, Feeding, Suprachiasmatic nucleus, Medial preoptic area, 21
- Gut peptide, Brain peptide, Primary structure, Amino acid sequence, 253
- Hirschsprung's disease, Neuropeptide Y, Radioimmunoassay, Neuropeptide, 309
- Human adrenal gland, Atrial natriuretic polypeptide, Receptor, Affinity labeling, Steroidogenesis, 271
- Hypothalamus, β-Endorphin, Adrenocorticotropic hormone, α-Melanocyte-stimulating hormone, Pituitary, Corticotropin-releasing hormone, Ontogeny, 245
- Ileum, Neurotensin, Radioimmunoassay, 13
- In vitro autoradiography, Atrial natriuretic polypeptide receptor, Ultrastructure, Glomerulus, Podocyte, 167
- Inotropic effect, Chronotropic effect, Mitochondrion, Vasospasm, Neuropeptide Y, 289
- Insulin secretion, Gastrointestinal peptide, Differential processing, Proglucagon, Somatostatin secretion, Enteroglucagon, 151
- Insulin, Glucagon, Somatostatin, Fed state, Fasted state, 185
- Intracisternal, Corticotropin-releasing factor (CRF), Thyrotropin-releasing hormone analog, 2-Deoxy-D-glucose, Carbachol, Atropine, 173
- Intrinsic factor, Isolated gastric gland, Aminopyrine, 279

- Isolated gastric gland, Aminopyrine, Intrinsic factor, 279
- Jejunum, μ -Opioid peptide, δ -Opioid peptide, κ Opioid peptide, Enkephalin, Dynorphin,
 Water absorption, Electrolyte absorption,
 Dog, 107
- Leu-enkephalin, Myenteric plexus, Vasoactive intestinal polypeptide, Galanin, Gastrin-releasing polypeptide (GRP), Substance P, α-Neurokinin, β-Neurokinin, Met-enkephalin, 69
- Medial preoptic area, Growth hormone-releasing factor, Feeding, Suprachiasmatic nucleus, 21
- α-Melanocyte-stimulating hormone, β-Endorphin, Adrenocorticotropic hormone, Hypothalamus, Pituitary, Corticotropin-releasing hormone, Ontogeny, 245
- Met-enkephalin, Myenteric plexus, Vasoactive intestinal polypeptide, Galanin, Gastrin-releasing polypeptide (GRP), Substance P, α-Neurokinin, β-Neurokinin, Leu-enkephalin, 69
- Mitochondrion, Chronotropic effect, Inotropic effect, Vasospasm, Neuropeptide Y, 289
- Muscle cell, Amphibian bombesin-14, Gastrinreleasing peptide, Neuromedin-B, 219
- Myenteric plexus, Vasoactive intestinal polypeptide, Galanin, Gastrin-releasing polypeptide (GRP), Substance P, α-Neurokinin, β-Neurokinin, Leu-enkephalin, Met-enkephalin, 69
- Natural bombesin, Bombesin fragment, Natural litorin, Synthetic litorin, Phyllolitorin, Structure-activity relationship, Bombesin receptor subtype, 1
- Natural litorin, Natural bombesin, Bombesin fragment, Synthetic litorin, Phyllolitorin, Structure-activity relationship, Bombesin receptor subtype, 1
- α-Neurokinin, Myenteric plexus, Vasoactive intestinal polypeptide, Galanin, Gastrin-releasing polypeptide (GRP), Substance P, β-Neurokinin, Leu-enkephalin, Met-enkephalin, 69
- β-Neurokinin, Myenteric plexus, Vasoactive intestinal polypeptide, Galanin, Gastrin-releasing polypeptide (GRP), Substance P, α-Neurokinin, Leu-enkephalin, Met-enkephalin, 69
- Neurokinin A, Tachykinin, Substance P, Spinal cord, Release, Rat, 129
- Neuromedin-B, Muscle cell, Amphibian bombesin-14, Gastrin-releasing peptide, 219

- Neuropeptide, Cardiovascular regulation, Brain peptide, Sympathetic nervous system, Amygdala, 95
- Neuropeptide, Neuropeptide Y, Radioimmunoassay, Hirschsprung's disease, 309
- Neuropeptide Y, Chronotropic effect, Inotropic effect, Mitochondrion, Vasospasm, 289
- Neuropeptide Y, Radioimmunoassay, Neuropeptide, Hirschsprung's disease, 309
- Neurotensin, Radioimmunoassay, Ileum, 13
- Noradrenaline, Catecholamine, Adrenocorticotropic hormone, Corticotropin-releasing factor, 301
- Ontogeny, β-Endorphin, Adrenocorticotropic hormone, α-Melanocyte-stimulating hormone, Hypothalamus, Pituitary, Corticotropin-releasing hormone, 245
- δ-Opioid peptide, μ-Opioid peptide, κ-Opioid peptide, Enkephalin, Dynorphin, Water absorption, Electrolyte absorption, Jejunum, Dog, 107
- κ-Opioid peptide, μ-Opioid peptide, δ-Opioid peptide, Enkephalin, Dynorphin, Water absorption, Electrolyte absorption, Jejunum, Dog, 107
- μ-Opioid peptide, δ-Opioid peptide, κ-Opioid peptide, Enkephalin, Dynorphin, Water absorption, Electrolyte absorption, Jejunum, Dog, 107
- Pancreas, Cysteamine, Gastrointestinal, Somatostatin, 205
- Pentagastrin, Gastric acid secretion, Bombesin, 141
- Peptide receptor, Potential difference, Anion channel, Airway, 237
- Pharmacokinetics, Single-injection method, Constant-infusion method, Proglucagon, 85
- Phyllolitorin, Natural bombesin, Bombesin fragment, Natural litorin, Synthetic litorin, Structure-activity relationship, Bombesin receptor subtype, 1
- Pituitary, β-Endorphin, Adrenocorticotropic hormone, α-Melanocyte-stimulating hormone, Hypothalamus, Corticotropin-releasing hormone, Ontogeny, 245
- Platelet, Adrenergic stimulation, Epidermal growth factor, Exercise, 197
- Podocyte, Atrial natriuretic polypeptide receptor, In vitro autoradiography, Ultrastructure, Glomerulus, 167
- Potential difference, Peptide receptor, Anion channel, Airway, 237

- Pressure-flow autoregulation, Renal blood flow, Glomerular filtration rate, Protein, Amino acid, 57
- Primary structure, Brain peptide, Gut peptide, Amino acid sequence, 253
- Proglucagon, Pharmacokinetics, Single-injection method, Constant-infusion method, 85
- Proglucagon, Gastrointestinal peptide, Differential processing, Insulin secretion, Somatostatin secretion, Enteroglucagon, 151
- Protein, Renal blood flow, Glomerular filtration rate, Pressure-flow autoregulation, Amino acid, 57
- Rabbit duodenum in vitro, Calcium, Verapamil, Diltiazem, 8 (N,N Diethylamino) octyl 3,4,5 trimethoxybenzoate hydrochloride, Trifluoperazine, 321
- Radioimmunoassay, Neurotensin, Ileum, 13
- Radioimmunoassay, Neuropeptide Y, Neuropeptide, Hirschsprung's disease, 309
- Rat heart, Glucagon analog, Adenylate cyclase, Rat liver, 117
- Rat liver, Glucagon analog, Adenylate cyclase, Rat heart, 117
- Rat pancreatic polypeptide, Tissue distribution, 37
- Rat, Tachykinin, Substance P, Neurokinin A, Spinal cord, Release, 129
- Receptor, Atrial natriuretic polypeptide, Affinity labeling, Human adrenal gland, Steroidogenesis, 271
- Release, Tachykinin, Substance P, Neurokinin A, Spinal cord, Rat, 129
- Renal blood flow, Glomerular filtration rate, Pressure-flow autoregulation, Protein, Amino acid, 57
- Renal function, Correlation, 263
- Single-injection method, Pharmacokinetics, Constant-infusion method, Proglucagon, 85
- Somatostatin secretion, Gastrointestinal peptide, Differential processing, Proglucagon, Insulin secretion, Enteroglucagon, 151
- Somatostatin, Insulin, Glucagon, Fed state, Fasted state, 185
- Somatostatin, Cysteamine, Gastrointestinal, Pancreas, 205
- Spinal cord, Tachykinin, Substance P, Neurokinin A, Release, Rat, 129
- Steroidogenesis, Atrial natriuretic polypeptide, Receptor, Affinity labeling, Human adrenal gland, 271
- Structure-activity relationship, Natural bombes-

- in, Bombesin fragment, Natural litorin, Synthetic litorin, Phyllolitorin, Bombesin receptor subtype, 1
- Substance P, Myenteric plexus, Vasoactive intestinal polypeptide, Galanin, Gastrin-releasing polypeptide (GRP), α-Neurokinin, β-Neurokinin, Leu-enkephalin, Met-enkephalin, 69
- Substance P, Tachykinin, Neurokinin A, Spinal cord, Release, Rat, 129
- Suprachiasmatic nucleus, Growth hormone-releasing factor, Feeding, Medial preoptic area, 21
- Sympathetic nervous system, Cardiovascular regulation, Brain peptide, Amygdala, Neuropeptide. 95
- Synthetic litorin, Natural bombesin, Bombesin fragment, Natural litorin, Phyllolitorin, Structure-activity relationship, Bombesin receptor subtype, 1
- Tachykinin, Substance P, Neurokinin A, Spinal cord, Release, Rat, 129
- Thyrotropin-releasing hormone analog, Corticotropin-releasing factor (CRF), Intracisternal, 2-Deoxy-D-glucose, Carbachol, Atropine, 173
- Tissue distribution, Rat pancreatic polypeptide, 37
- Trifluoperazine, Rabbit duodenum in vitro, Calcium, Verapamil, Diltiazem, 8 (N,N Diethylamino) 3,4,5 trimethoxybenzoate hydrochloride, 321
- Ultrastructure, Atrial natriuretic polypeptide receptor, In vitro autoradiography, Glomerulus, Podocyte, 167
- Vagal cholinergic, Bombesin, Cimetidine, 29
- Vasoactive intestinal polypeptide, Myenteric plexus, Galanin, Gastrin-releasing polypeptide (GRP), Substance P, α-Neurokinin, β-Neurokinin, Leu-enkephalin, Met-enkephalin, 69
- Vasospasm, Chronotropic effect, Inotropic effect, Mitochondrion, Neuropeptide Y, 289
- Verapamil, Rabbit duodenum in vitro, Calcium, Diltiazem, 8 (N,N Diethylamino) octyl 3,4,5 trimethoxybenzoate hydrochloride, Trifluoperazine, 321
- Water absorption, μ-Opioid peptide, δ-Opioid peptide, κ-Opioid peptide, Enkephalin, Dynorphin, Electrolyte absorption, Jejunum, Dog, 107

